




Maxdrill Rock Tools Co.,Ltd



www.maxdrillrocktools.com

ATLAS COPCO

Atlas Copco BBC 42, BBC 44, BBC 100



Thread	Dia (mm)	Length (mm)	Weight (kg)	Product No.	Part No.
R32	32	380	2.1	6102014001	60W380-2-R32D3201
T38	32	380	2.5	6102022614	60W380-2-T38D3201

Atlas Copco BBC 54, BBC 120




R32	38	380	2.6	6102014003	60W380-2-R32D3801
R38	38	390	3.1	6102017004	60W390-2-R38D3801
T38	38	390	3.1	6102022005	60W390-2-T38D3801

Atlas Copco BBE 57



T38	45	447	5.3	6106022007	60W447-6-T38D4501
-----	----	-----	-----	------------	-------------------

Atlas Copco BBE 57 Female



T38	45	447	5.9	6106022010	60W447-6-T38FD4501
-----	----	-----	-----	------------	--------------------

Atlas Copco COP 125, COP 130, COP 131



T38	38	380	3.0	6103022012	60W380-3-T38D3801
T45	38	380	3.0	6103023013	60W380-3-T45D3801

Atlas Copco COP 131



T38	38.5	440	3.8	6106122017	60W440-6-T38D3801
-----	------	-----	-----	------------	-------------------

ATLAS COPCO

Atlas Copco COP 1032,COP 1032 HD Female



Thread	Dia (mm)	Length (mm)	Weight (kg)	Product No.	Part No.
R28	45	340	3.6	6108113615	60W340-8-R28FD4501
R32	45	340	3.4	6108114026	60W340-8-R32FD4501
R38	55	340	4.1	6108117027	60W340-8-R38FD5501

Atlas Copco COP 1032



R28	45	550	4.7	6108113616	60W550-8-R28D4501
R32	45	550	5.0	6108114022	60W550-8-R32D4501
T38	45	550	5.4	6108122025	60W550-8-T38D4501

Atlas Copco COP 1036,COP 1038, COP 1238



R32	38	500	4.0	6108114031	60W500-8-R32D3801
T38	38	500	4.4	6108122040	60W500-8-T38D3801
T45	45	500	5.0	6108123043	60W500-8-T45D4501

Atlas Copco COP 1036,COP 1038, COP 1238



R32	38	485	4.0	6108114030	60W485-8-R32D3801
TR35	38	485	4.1	6108133617	60W485-8-TR35D3801
R38	38	485	4.2	6108117033	60W485-8-R38D3801
T38	38	485	4.2	6108122039	60W485-8-T38D3801

ATLAS COPCO

Atlas Copco COP 1036, COP 1038, COP 1238



Thread	Dia (mm)	Length (mm)	Weight (kg)	Product No.	Part No.
R32	38	575	4.6	6108114032	60W575-8-R32D3801
R38	38	575	4.7	6108117034	60W575-8-R38D3801
T38	38	575	4.9	6108122041	60W575-8-T38D3801
R38	45	575	5.4	6108117036	60W575-8-R38D4501
T38	45	575	5.4	6108122042	60W575-8-T38D4501
T45	45	575	5.8	6108123044	60W575-8-T45D4501

Atlas Copco COP 1132



R28	35	410	2.4	6108113048	60W410-8-R28D3501
R32	35	410	2.6	6108114049	60W410-8-R32D3501
TA35	35	410	2.6	6108121051	60W410-8-TA35D3501

Atlas Copco COP 1440, COP 1550, COP 1638, COP 1838, COP 2238



R32	38	435	3.6	6108114069	60W435-8-R32D3801
R38	38	435	3.9	6108117074	60W435-8-R38D3801
T38	38	435	3.8	6108122073	60W435-8-T38D3801


Atlas Copco COP 1440, COP 1550, COP 1638, COP 1838, COP 2238



R32	38	525	4.2	6108114070	60W525-8-R32D3801
R38	38	525	4.3	6108117071	60W525-8-R38D3801
T38	38	525	4.3	6108122075	60W525-8-T38D3801

ATLAS COPCO

Atlas Copco COP 1432,COP 1532 Female




Thread	Dia (mm)	Length (mm)	Weight (kg)	Product No.	Part No.
R32	55	341	4.7	6108114081	60W341-8-R32FD5501
R38	55	341	4.4	6108117082	60W341-8-R38FD5501
T38	55	341	4.4	6108122618	60W341-8-T38FD5501

Atlas Copco COP 1838 MUX/HUX



TA35	52	730	9.5	6108121088	60W730-8-TA35D5201
T38	52	730	9.6	6108122089	60W730-8-T38D5201
T45	52	730	9.9	6108123090	60W730-8-T45D5201

Atlas Copco Cop 1440,COP 1550, COP 1838, COP 1838 ME/HE



R32	52	525	5.7	6108114076	60W525-8-R32D5201
TA35	52	525	5.8	6108121077	60W525-8-TA35D5201
T38	52	525	5.9	6108122078	60W525-8-T38D5201
T45	52	525	6.1	6108123079	60W525-8-T45D5201
T51	52	525	6.5	6108124080	60W525-8-T51D5201

Atlas Copco COP 1550 EX,COP 1838 EX



T38	60	730	9.8	6108122085	60W730-8-T38D6001
T45	60	730	10.2	6108123086	60W730-8-T45D6001
T51	60	730	10.4	6108124087	60W730-8-T51D6001

ATLAS COPCO

Atlas Copco COP 1840 HE, COP 1850



Thread	Dia (mm)	Length (mm)	Weight (kg)	Product No.	Part No.
T38	52	565	6.6	6108122092	60W565-8-T38D5201
T45	52	565	6.8	6108123093	60W565-8-T45D5201
T51	52	565	7.2	6108124094	60W565-8-T51D5201

Atlas Copco COP 1240 EX, 1640 EX, 1840 EX, 1850 EX, 2150 EX, 2540 EX, COP 2550 EX



T45	60	770	10.8	6108123063	60W770-8-T45D6001
T51	60	770	10.9	6108124064	60W770-8-T51D6001

Atlas Copco COP 2150



T45	52	770	8.5	6108123619	60W770-8-T45D5201
T51	52	770	9.9	6108124095	60W770-8-T51D5201

Atlas Copco COP 2160 EX, COP 2560 EX



T45	63	770	13.2	6112123100	60W770-12-T45D6301
T51	63	770	13.3	6112124101	60W770-12-T51D6301
MT60	63	770	14.0	6112125620	60W770-12-MT60D6301

Atlas Copco COP 2550 UX



T45	60	770	12.9	6108123065	60W770-8-T45D6001
T51	60	770	13.1	6108124066	60W770-8-T51D6001

ATLAS COPCO

Atlas Copco COP 2160,COP 2560



Thread	Dia (mm)	Length (mm)	Weight (kg)	Product No.	Part No.
T45	60	770	11.6	6112123097	60W770-12-T45D6001
T51	60	770	11.0	6112124098	60W770-12-T51D6001

Atlas Copco COP 3060 MEX



MT60	60	840	16.7	6112125112	60W840-12-MT60D6001
------	----	-----	------	------------	---------------------

Atlas Copco COP 4050



T51	52	605	8.9	6108124113	60W605-8-T51D5201
-----	----	-----	-----	------------	-------------------

SANDVIK

Sandvik HL 300




Thread	Dia (mm)	Length (mm)	Weight (kg)	Product No.	Part No.
R32	32	400	2.6	6208114119	60W400-8-R32D3202

Sandvik HL 300 S Female



R28	45	245	2.7	6208113621	60W245-8-R28FD4502
R32	45	245	2.6	6208114120	60W245-8-R32FD4502

Sandvik L 400,L 410,L 500,L 510,L 550




R32	32	380	2.1	6204014236	60W380-4-R32D3202
-----	----	-----	-----	------------	-------------------

Sandvik RD 308,RD 314,RD 414



TA35	38	410	4.0	6210121123	60W410-10-TA35D3802
------	----	-----	-----	------------	---------------------

Sandvik HLR 438 L,HLR 438 T



R32	38	380	2.7	6204014230	60W380-4-R32D3802
T38	38	400	3.3	6204022233	60W400-4-T38D3802

Sandvik HLR 438 LS,438 TS,HL 538, HL 538 L,L 550 S



R32	38	450	3.7	6204114125	60W450-4-R32D3802
R38	38	450	4.1	6204117126	60W450-4-R38D3802
T38	38	455	4.0	6204122127	60W455-4-T38D3802

SANDVIK

Sandvik HL 500,HL 510




Thread	Dia (mm)	Length (mm)	Weight (kg)	Product No.	Part No.
R32	45	550	5.4	6208114132	60W550-8-R32D4502
T38	45	550	5.6	6208122134	60W550-8-T38D4502
T45	45	550	5.9	6208123135	60W550-8-T45D4502

Sandvik HL 500 S,HL 510 S




R32	38	460	3.9	6208114136	60W460-8-R32D3802
R38	38	460	4.2	6208117137	60W460-8-R38D3802
T38	38	460	4.0	6208122138	60W460-8-T38D3802
R38	38	500	4.4	6208117139	60W500-8-R38D3802
T38	38	500	4.3	6208122140	60W500-8-T38D3802

Sandvik HL 500 F



R32	45	350	3.9	6208114612	60W350-8-R32FD4502
-----	----	-----	-----	------------	--------------------

Sandvik HL 500,HL 500 S,HL 550 S,HL 560 S



R38	45	500	5.2	6208117142	60W500-8-R38D4502
T38	45	500	5.3	6208122143	60W500-8-T38D4502

SANDVIK

Sandvik HLX 5,HFX 5,RDX 5



Thread	Dia (mm)	Length (mm)	Weight (kg)	Product No.	Part No.
R32	45	500	5.1	6210114145	60W500-10-R32D4502
R38	45	500	5.3	6210117148	60W500-10-R38D4502
T38	45	500	5.3	6210122147	60W500-10-T38D4502
R32	45	575	5.4	6210114150	60W575-10-R32D4502
T38	45	575	5.7	6210122152	60W575-10-T38D4502
T45	45	575	6.2	6210123153	60W575-10-T45D4502

Sandvik RD 520,RD 525



T38	45	525	5.6	6210122168	60W525-10-T38D4502
-----	----	-----	-----	------------	--------------------

Sandvik HL 600,HL 600 S



T38	45	525	5.5	6208122179	60W525-8-T38D4502
T45	45	525	5.8	6208123180	60W525-8-T45D4502
T38	45	600	5.9	6208122181	60W600-8-T38D4502
T45	45	600	6.5	6208123182	60W600-8-T45D4502

Sandvik HL 600



T45	52	650	7.6	6208123183	60W650-8-T45D5202
T51	52	650	8.1	6208124184	60W650-8-T51D5202

SANDVIK

Sandvik HL 645, HL 645 S



Thread	Dia (mm)	Length (mm)	Weight (kg)	Product No.	Part No.
T38	45	600	6.6	6208122622	60W600-8-T38D4502
T45	45	600	6.9	6208123185	60W600-8-T45D4502

Sandvik HL 650, HL 700, HL 700 T, HL 710, HL 800 T




T38	45	600	7.0	6208122186	60W600-8-T38D4502
T45	45	600	7.2	6208123187	60W600-8-T45D4502

Sandvik HL 650, HL 700, HL 700 PE, HL 700 S, HL 710, HL 710 S, HL 710 PE, HL 710 SPE, HL 800 T, HL 800 PE



T38	52	600	8.0	6208122188	60W600-8-T38D5202
T45	52	600	8.5	6208123189	60W600-8-T45D5202
T51	52	600	8.5	6208124190	60W600-8-T51D5202

Sandvik HL 1000, HL 1000 S



T45	52	590	8.9	6208123191	60W590-8-T45D5202
T51	52	590	9.3	6208124192	60W590-8-T51D5202
T45	52	670	9.7	6208123193	60W670-8-T45D5202
T51	52	670	10.0	6208124194	60W670-8-T51D5202

Sandvik HL 1000, HL 1010



T51	60	670	12.0	6208124195	60W670-8-T51D6002
ST58	60	670	12.8	6208134196	60W670-8-ST58D6002
MG60	60	670	13.0	6208126197	60W670-8-MG60D6002

SANDVIK

Sandvik HL 1000,HL 1010



Thread	Dia (mm)	Length (mm)	Weight (kg)	Product No.	Part No.
ST58	80	635	17.0	6208134199	60W635-8-ST58D8002
ST68	80	640	18.8	6208135200	60W640-8-ST68D8002

Sandvik HL 1000 PE,HL 1500 PE, HL 1560 T



T51	65	760	16.0	6208124202	60W760-8-T51D6502
ST58	65	760	16.8	6208134205	60W760-8-ST58D6502
MG60	65	760	17.0	6208126206	60W760-8-MG60D6502

Sandvik HL 1500,HL 1500 T



T51	60	760	13.0	6208124211	60W760-8-T51D6002
MG60	60	760	15.0	6208126212	60W760-8-MG60D6002

FURUKAWA

Furukawa PD 200




Thread	Dia (mm)	Length (mm)	Weight (kg)	Product No.	Part No.
R32	44.5	330	3.0	6304014301	60W330-4-R32D4403
T38	44.5	380	3.6	6304022304	60W380-4-T38D4403
T38	44.5	446	4.0	6304022308	60W446-4-T38D4403

Furukawa PD 200 R



R38	44.5	485	4.2	6304017629	60W485-4-R38D4403
T38	44.5	380	4.2	6304022296	60W380-4-T38D4403
T38	44.5	485	5.2	6304022298	60W485-4-T38D4403
T45	44.5	495	5.3	6304023300	60W495-4-T45D4403

Furukawa HD 300



T38	45	655	6.0	6306022241	60W655-6-T38D4503
T45	45	655	6.7	6306023242	60W655-6-T45D4503

Furukawa HD 609



T38	45	620	6.0	6308122247	60W620-8-T38D4503
T38	45	690	6.4	6308122249	60W690-8-T38D4503
T45	45	620	6.3	6308123248	60W620-8-T45D4503
T45	45	690	6.7	6308123250	60W690-8-T45D4503

FURUKAWA

Furukawa HD 612



Thread	Dia (mm)	Length (mm)	Weight (kg)	Product No.	Part No.
T38	50.8	710	8.6	6308122623	60W710-8-T38D5103
T45	50.8	710	8.9	6308123256	60W710-8-T45D5103
T51	50.8	710	9.0	6308124257	60W710-8-T51D5103

Furukawa HD 709,HD 818



T38	45	620	6.3	6308122270	60W620-8-T38D4503
T45	45	620	6.8	6308123271	60W620-8-T45D4503
T51	53	620	6.8	6308124272	60W620-8-T51D5303

Furukawa HD 712,HD 822,HD 826



T38	51	590	8.0	6308122624	60W590-8-T38D5103
T45	51	590	8.4	6308123277	60W590-8-T45D5103
T51	51	590	8.8	6308124278	60W590-8-T51D5103
T38	51	790	8.9	6308122625	60W790-8-T38D5103
T45	51	790	9.5	6308123279	60W790-8-T45D5103
T51	51	790	10.8	6308124280	60W790-8-T51D5103

Furukawa HD 709 RP,HD 818 RP



T38	45	785	8.8	6308122275	60W785-8-T38D4503
T45	45	785	9.2	6308123273	60W785-8-T45D4503
T38	45	815	9.0	6308122276	60W815-8-T38D4503
T45	45	815	9.5	6308123274	60W815-8-T45D4503

FURUKAWA

Furukawa HD 712 RP, HD 822 RP,
HD 826 RP



Thread	Dia (mm)	Length (mm)	Weight (kg)	Product No.	Part No.
T38	51	885	12.2	6308122626	60W885-8-T38D5103
T45	51	885	12.6	6308123313	60W885-8-T45D5103
T51	51	885	13.0	6308124315	60W885-8-T51D5103

Furukawa HD 715 RP, HD 828 RP



T45	58	885	15.3	6308123627	60W885-8-T45D5803
T51	58	885	15.8	6308124294	60W885-8-T51D5803

MONTABERT

Montabert H 100



Thread	Dia (mm)	Length (mm)	Weight (kg)	Product No.	Part No.
T38	44.5	537	5.3	6406022322	60W537-6-T38D4404

Montabert HC 25



26°	45	570	6.4	6408---327	60W570-8-26°D4504
-----	----	-----	-----	------------	-------------------

Montabert HC 25 Female




R32	45	202	1.9	6408114328	60W202-8-R32FD4504
-----	----	-----	-----	------------	--------------------

Montabert HC 40,HC 50 Female



R32	45	270	2.8	6408114338	60W270-8-R32FD4504
-----	----	-----	-----	------------	--------------------

Montabert HC 40,HC 50



R32	38	447	3.5	6408114335	60W447-8-R32D3804
R38	38	447	4.0	6408117336	60W447-8-R38D3804
T38	38	447	4.0	6408122337	60W447-8-T38D3804

Montabert HC 80,HC 90,HC 105, HC 108,HC 109,HC 120



R32	38	440	3.6	6408114339	60W440-8-R32D3804
R38	38	440	3.9	6408117340	60W440-8-R38D3804
T38	38	440	3.9	6408122341	60W440-8-T38D3804
T38	38	500	4.1	6408122344	60W500-8-T38D3804

MONTABERT

Montabert HC 80,HC 90,HC 105,
HC 108,HC 109,HC 120



Thread	Dia (mm)	Length (mm)	Weight (kg)	Product No.	Part No.
T38	45	460	5.0	6408122346	60W460-8-T38D4504
T38	45	490	5.3	6408122345	60W490-8-T38D4504

Montabert HC 80,HC 90,HC 105,
HC 108,HC 109,HC 120



T45	45	490	5.6	6408123347	60W490-8-T45D4504
-----	----	-----	-----	------------	-------------------

Montabert HC 80 RP,HC 105 RP,
HC 107 RP,HC 108 RP,HC 109 RP



T38	45	670	7.2	6408122350	60W670-8-T38D4504
T45	45	670	7.5	6408123351	60W670-8-T45D4504

Montabert HC 95 R



T38	45	503	5.8	6408122360	60W503-8-T38D4504
-----	----	-----	-----	------------	-------------------

Montabert HC 120 RP,HC 150 RP,
HC 155 RP,HC 158 RP



T45	51	670	8.8	6408123372	60W670-8-T45D5104
T51	51	670	8.9	6408124373	60W670-8-T51D5104

Montabert HC 160,HC 170



T45	60	805	14.8	6408123377	60W805-8-T45D6004
T51	60	805	14.9	6408124378	60W805-8-T51D6004
MT60	60	805	15.3	6408125628	60W805-8-MT60D6004

MONTABERT

Montabert HC 200



Thread	Dia (mm)	Length (mm)	Weight (kg)	Product No.	Part No.
T51	51	840	13.2	6408124380	60W840-8-T51D5104

Montabert HC 200 A



T51	60	840	16.4	6408124381	60W840-8-T51D6004
MG60	60	840	16.8	6408126382	60W840-8-MG60D6004


INGERSOLL-RAND

Ingersoll -rand URD 475,URD 550,
VL 120,EVL 130, VL 140,F 16




Thread	Dia (mm)	Length (mm)	Weight (kg)	Product No.	Part No.
R32	44.5	330	3.0	6504014390	60W330-4-R32D4405
R32	44.5	380	4.1	6504014391	60W380-4-R32D4405
T38	44.5	380	3.6	6504022393	60W380-4-T38D4405
T38	44.5	446	4.0	6504022397	60W446-4-T38D4405

Ingersoll -rand YH 45,YH 50




T38	38	440	3.8	6506022386	60W440-6-T38D3805
-----	----	-----	-----	------------	-------------------

Ingersoll -rand YH 65,YH 70,YH 80



T38	45	495	5.4	6506022403	60W495-6-T38D4505
T45	45	495	5.5	6506023404	60W495-6-T45D4505

Ingersoll -rand YH 80 A



T45	51	495	6.1	6506023408	60W495-6-T45D5105
T51	51	495	5.7	6506024410	60W495-6-T45D5105

Ingersoll -rand YH 65 RP,YH 70 RP,
YH 75 RP,YH 80 RP



T38	45	700	7.8	6506022406	60W700-6-T38D4505
T45	45	700	7.9	6506023407	60W700-6-T45D4505


INGERSOLL-RAND

Ingersoll -rand YH 95,YH 100



Thread	Dia (mm)	Length (mm)	Weight (kg)	Product No.	Part No.
T51	51	625	8.8	6508024415	60W625-8-T51D5105

Ingersoll -rand Hydrastar 200 Female



R32	45	351	3.7	6208114221	60W351-8-R32FD4505
-----	----	-----	-----	------------	--------------------

KRUPP

Krupp HB 32



Thread	Dia (mm)	Length (mm)	Weight (kg)	Product No.	Part No.
T45	65	780	16.2	6606123526	60W780-6-T45D6506
T51	65	780	16.7	6606124527	60W780-6-T51D6506

Krupp HB 101



T45	64.5	699	11.1	6606123530	60W699-6-T45D6506
T51	64.5	699	11.3	6606124531	60W699-6-T51D6506



Maxdrill Rock Tools Co.,Ltd

- 📍 Add: No.14-16,12th Floor,Building B6,ZhongjianBuilding,
No.1 Luchongguan Road,YunyanDistrict,Guiyang,Guizhou,China
- 📍 Factory in Guizhou: Er Guan Ba Industry Park, Jiuchang Town,
Xiuwen County, Guizhou Province, China
- ☎ Tel:86-851-88639106 Fax:86-851-8869108
- ✉ E-mail:office@kemaico.com info@kemaico.com
- 🌐 Web:www,maxdrillrocktools.com www.kemaico.com